

---

```
N/A. #00000 #GPGP.MDA5 #include main(){ printf("Hello world!\n"); } int main(){ //printf("Hello world!\n"); int a = 1; }
nhello world! endif if x == 3 printf("x is 3") endif /* the following chunk of code is commented out */ int a = 4; /*remember to
remove these comments and uncomment the line of code*/ main and new and delete and include #include puts("Hello
world!\n"); system{ printf("Hello world!\n"); } main and new and delete and include #include puts("Hello world!\n"); system{
printf("Hello world!\n"); } #00000 #GPGP.MDA5 #include main(){ printf("Hello world!\n"); } int main(){ //printf("Hello
world!\n"); int a = 1; } nhello world! endif if x == 3 printf("x is 3") endif /* the following chunk of code is commented out */ int
a = 4; /*remember to remove these comments and uncomment the line of code*/ main and new and delete and include #include
puts("Hello world!\n"); system{ printf("Hello world!\n"); } main and new and delete and include #include puts("Hello world!\n");
system{ printf("Hello world!\n"); } #00000 #GPGP.MDA5 #include main(){ printf("Hello world!\n"); } int main(){
//printf("Hello world!\n"); int a = 1; } nhello world! endif if x == 3 printf("x is 3") endif /* the following chunk of code is
commented out */ int a = 4; /*remember to remove these comments and uncomment the line of code*/ main and new and delete
and include #include puts("Hello world!\n"); system{ printf("Hello world!\n"); } main and new and delete and include #include
puts("Hello world!\n"); system{ printf("Hello world!\n"); } #00000 #GPGP.MDA5 #include
```